



ROLL-IN REFRIGERATOR (ARIS)

ARIS 推入式冷櫃系列



ROLL-IN REFRIGERATOR : : : : :

推入式冷櫃




Roll-in Refrigerator

推入式冷櫃系列

以推入式儲存櫃進行高效率及高品質的食物冷藏。

Designed to operate efficiently with roll-in cabinets.



Product Features 產品優點

- 304 不銹鋼外殼及內膽
- 適用於2/1 GN推車
- 自動化水設計
- 數字溫控
- 220v/50Hz
- 304 grade stainless steel exterior and interior
- Accommodate 2/1 GN size
- Self evaporating, condensation water, drainage not required.
- Digital Controller
- 220v/50Hz

Alternative 備選

- 304 不銹鋼背
- 配日光燈或LED燈
- 發熱膜玻璃門
- 雙通門
- 1.5mm 厚底板
- 配斜坡
- 櫃門彈簧鎖
- 220V/60Hz
- 304 stainless steel back
- With fluorescent or LED lights
- Heated glass door in lieu of stainless steel door
- Roll through door
- 1.5mm floor panel
- Ramp with insulated floor
- Latch door lock
- 220V/60Hz

Aeglos Roll-in
Series (ARIS)

推入式系列

產品編碼

Product Code


1600-2D-C3

1

2

4.1

4.2



1. Body Length 櫃身尺寸

2. Configuration 外形

- 1D = 1 Door 單門
- 2D = 2 Doors 兩門

3. Options 選項

- GD = Glass door 玻璃門
- HGD = Heated film glass door 發熱玻璃門
- PT = Pass through 雙通門

4.1 Temperature Range 溫度

- C = +1°C/+4°C
- F = -22°C/-18°C

4.2 Material 材質

- 3 = 304 SS



Aeglos Roll-in Series (ARIS)

AEGLOS ROLL-IN SERIES (ARIS) 推入式系列

Model No.	800-1D-C3	800-1D-F3	1600-2D-C3	1600-2D-F3
Temp Range (°C)	+1~+6	-22~-15	+1~+6	-22~-15
External Dimension (mm) 外尺寸 (毫米)				
Width 寬度	800	800	1600	1600
Depth 深度	920	920	920	920
Height 高度	2150	2150	2150	2150
Internal Dimension (mm) 內尺寸 (毫米)				
Width 寬度	680	680	1480	1480
Depth 深度	805	805	805	805
Height 高度	1690	1690	1690	1690
Thickness of 304 grade stainless steel (mm) 304不銹鋼厚度 (毫米)				
Exterior (外部材料)	0.7	0.7	0.7	0.7
Interior (內部材料)	0.5	0.5	0.5	0.5
Door (門)	0.7	0.7	0.7	0.7
Opening Depth (mm) 打開總深度 (毫米)				
Door type (門)	1650	1650	1650	1650
Capacity (litres) 容積 (公升)	900	900	1800	1800
Power Supply 電壓 220V/50HZ/1PH				
Power Input- Running (amps) 運行時需輸入的電 (安培)	4.3	7.5	7	9
Rating Power (watts) 功率 (瓦特)	908	1507	1005	1774
Condensing Unit (HP) 機組 (匹)	1/2	1	3/4	2
Refrigerant 制冷劑	R134a	R404a	R134a	R404a

AEGLOS BLAST FREEZER SERIES (ABFS)

ABFS 急速冷藏冷凍櫃系列

BLAST FREEZER
急速冷藏冷凍櫃




Blast Freezer


急速冷藏冷凍櫃系列

以急速冷藏食物達到冰鮮或保鮮的狀態，務求延長你的食材的可用週期從而提升生產力。

Designed to rapidly reduce food temperature for a chilled or frozen state while extending food shelf life and improving productivity.



ELEVATION



SECTION VIEW



Product Features 產品優點

- 急速櫃，單門，可有效速凍20kg食物
- 304不銹鋼外殼及內膽
- 鍍鋅底及背
- 135mm高不留痕重力剎制輪子
- 配食物探針
- 配托角
- 櫃內圓角處理，方便清潔
- 清晰的LED面板顯示時間和食物探針溫度
- 冷藏櫃(BC)從+90°C 降至+5°C只需 90分鐘
- 冷凍櫃(BCF)從+90°C 降至-18°C只需 240分鐘
- 適用於 1/1 GN盆
- 自動化水設計
- 220v/50Hz
- Blast Chillers, 1 Door, 20kg food chilling capacity
- 304 grade stainless steel exterior and interior
- Galvanized steel back and base
- On 135mm Heavy duty, non-marking swivel and brake castors
- Fitted with food probe
- Fitted with tray slides
- Interior with radius corners, easy to clean
- Clear LED Display for time and food probe temperature
- Blast chills full load from +90°C to +5°C in 90 minutes
- Blast chiller freezer also blast freeze from +90°C to -18°C in 240 minutes
- Accommodate 1/1 GN size
- Self evaporating, condensation water, drainage not required.
- 220v/50Hz

Alternative 備選

- 304 不銹鋼背
- 304 不銹鋼底
- 櫃門配圓鎖
- 220V/60Hz
- 304 Stainless steel back
- 304 Stainless steel bottom
- Cylindrical locks fitted for door
- 220v/60Hz

Aeglos Blast Freezer Series (ABFS)


急速冷藏冷凍系列

產品編碼

Product Code

1290-20-BC/BF3

1 2 3.1 3.2



1. Body Length 櫃身尺寸

2. Configuration 外形

20	=	20KG (容量20公斤)
30	=	30KG (容量30公斤)
40	=	30KG (容量40公斤)

3.1 Temperature Range 溫度

BC	=	+90°C/+5°C
BF	=	+90°C/-18°C

3.2 Material 材質

3	=	304 SS
---	---	--------



Aeglos Blast Freezer Series (ABFS)

AEGLOS BLAST FREEZER SERIES (ABFS) 急速冷藏冷凍系列

Model No.	1290-20-BC/BF3	1735-30-BC/BF3	1905-40-BC/BF3
Temp Range (°C)	+90~+5 +90~-18	+90~+5 +90~-18	+90~+5 +90~-18
External Dimension (mm) 外尺寸 (毫米)			
Width 寬度	707	707	707
Depth 深度	804	804	804
Height 高度	1290	1735	1905
Internal Dimension (mm) 內尺寸 (毫米)			
Width 寬度	587	587	587
Depth 深度	343	343	343
Height 高度	685	1005	1195
Thickness of 304 grade stainless steel (mm) 304不銹鋼厚度 (毫米)			
Exterior (外部材料)	0.7	0.7	0.7
Interior (內部材料)	0.5	0.5	0.5
Door (門)	0.7	0.7	0.7
Opening Depth (mm) 打開總深度 (毫米)			
Door type (門)	1470	1470	1470
Capacity (litres) 容積 (公升)	138	202	240
Power Supply 電壓 220V/50HZ/1PH			
Rating Power (watts) 功率	1417	2282	2951
Condensing Unit (HP) 機組 (匹)	1-1/8HP	1-3/4HP	2HP
Refrigerant 制冷劑	R404a	R404a	R404a